

# Material Safety Data Sheet



ADVACARE 120 SOFTENER

## Section 1. Chemical product and company identification

**Trade name** : ADVACARE 120 SOFTENER  
**Product use** : Laundry softener  
**Supplier** : Textile Care - Division of Ecolab Co.  
5105 Tomken Road  
Mississauga ON L4W 2X5  
1-800-352-5326  
**Code** : 912345-03  
**Date of issue** : 01-August-2007

**EMERGENCY HEALTH INFORMATION: 1-800-328-0026**  
**Outside United States and Canada CALL 1-651-222-5352 (in USA)**

## Section 2. Composition, information on ingredients

<u>Name</u>	<u>CAS number % by weight</u>	
poly(oxy-1,2-ethanediyl), alpha-[2-[bis(2-aminoethyl)methylammonio]ethyl]-omega-hydroxy-, n,n'- ditallow acyl derivs., me sulfates (salts)	68410-69-5	10 - 30
propan-2-ol	67-63-0	3 - 7

## Section 3. Hazards identification

**Physical state** : Liquid. [Liquid.]  
**Emergency overview** : CAUTION!  
MAY CAUSE RESPIRATORY TRACT, EYE AND SKIN IRRITATION.  
COMBUSTIBLE LIQUID AND VAPOUR.  
Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Keep away from heat, sparks and flame. Keep container closed. Use only with adequate ventilation. Wash thoroughly after handling.

**Routes of entry** : Skin contact, Eye contact, Inhalation, Ingestion

### Potential acute health effects

**Eyes** : Moderately irritating to eyes.  
**Skin** : Moderately irritating to the skin.  
**Inhalation** : Moderately irritating to the respiratory system.  
**Ingestion** : No known significant effects or critical hazards.

See toxicological information (section 11)

## Section 4. First-aid measures

**Eye contact** : In case of contact, immediately flush eyes with cool running water. Remove contact lenses and continue flushing with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

**Skin Contact** : Flush contaminated skin with plenty of water. Continue to rinse for at least 10 minutes. Get medical attention if irritation persists. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse.

**Inhalation** : If inhaled, remove to fresh air.

**Ingestion** : Do not induce vomiting. Never give anything by mouth to an unconscious person. If irritation persists, get medical attention.

## Section 5. Fire-fighting measures

<b>Auto-ignition temperature</b>	: Not available.
<b>Flash point</b>	: 65.5556 °C (Closed cup) Product does not support combustion.
<b>Flammable limits</b>	
<b>Upper:</b>	Not available.
<b>Lower:</b>	Not available.
<b>Products of combustion</b>	: Not available.
<b>Fire-fighting media and instructions</b>	: In case of fire, use water spray (fog), foam, dry chemical, or CO <sub>2</sub> .  Dyke liquid for later disposal. Combustible liquid and vapour.
<b>Special protective equipment for fire-fighters</b>	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
	Risk of explosion of the product in the presence of mechanical impact: Not available.
	Risk of explosion of the product in the presence of static discharge: Not available.

## Section 6. Accidental release measures

<b>Personal Precautions</b>	: Ventilate area of leak or spill. Do not touch damaged containers or spilled material unless wearing appropriate protective equipment (Section 8). Stop leak if without risk. Do not allow to enter drains or watercourses.
<b>Environmental precautions</b>	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
<b>Methods for cleaning up</b>	: If emergency personnel are unavailable, contain spilt material. For small spills, add absorbent (soil may be used in the absence of other suitable materials) and use a non-sparking or explosion-proof means to transfer material to a sealable, appropriate container for disposal. For large spills, dyke spilt material or otherwise contain material to ensure runoff does not reach a waterway. Place spilt material in an appropriate container for disposal.

## Section 7. Handling and storage

<b>Handling</b>	: Avoid contact with eyes, skin and clothing. Do not breathe vapour or mist. Keep container closed. Use only with adequate ventilation. Keep away from heat, sparks and flame. To avoid fire, eliminate ignition sources. Wash thoroughly after handling.
<b>Storage</b>	: Keep out of the reach of children. Store in a segregated and approved area. Keep container in a cool, well-ventilated area. Keep container tightly closed and sealed until ready for use. Avoid all possible sources of ignition (spark or flame). Store between the following temperatures: 50 and 5°C

## Section 8. Exposure controls, personal protection

<b>Engineering measures</b>	: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapour or dust concentrations below any lower explosive limits.
-----------------------------	---

### Personal protection:

<b>Eyes</b>	: Eye protection recommended.
<b>Hands</b>	: For prolonged or repeated handling, use the following type of gloves: Impervious gloves.
<b>Skin</b>	: No protective equipment is needed under normal use conditions.
<b>Respiratory</b>	: Avoid breathing vapours, spray or mists.

### Name

propan-2-ol

### Exposure limits

**ACGIH TLV (United States, 1/2006).**

STEL: 400 ppm 15 minute(s).

TWA: 200 ppm 8 hour(s).

## Section 9. Physical and chemical properties

Physical state	: Liquid. [Liquid.]
Colour	: Green.
Odour	: Fragrance-like.
pH	: 5 to 8 [Conc. (% w/w): 100%]
Boiling/condensation point	: >35°C (>95°F)
Melting/freezing point	: Not available.
Specific gravity	: 0.98 to 1.04
Vapour pressure	: Not available.
Vapour density	: Not available.
Odour threshold	: Not available.
Evaporation rate	: Not available.
Viscosity	: Dynamic: 175 cP
LogK <sub>ow</sub>	: Not available.
Dispersibility properties	: Dispersed in hot water. Partially dispersible in cold water.

## Section 10. Stability and reactivity

Stability	: The product is stable.
Conditions of instability	: Not available.
Reactivity	: Not available.
Hazardous Decomposition Products	: Not available.

## Section 11. Toxicological information

### Potential acute health effects

Eyes	: Moderately irritating to eyes.
Skin	: Moderately irritating to the skin.
Inhalation	: Moderately irritating to the respiratory system.
Ingestion	: No known significant effects or critical hazards.
Irritancy of Product	: Hazardous by WHMIS criteria.

### Potential chronic health effects

Carcinogenic effects	: No known significant effects or critical hazards.
Mutagenic effects	: No known significant effects or critical hazards.
Teratogenic effects	: No known significant effects or critical hazards.
Reproductive effects	: No known significant effects or critical hazards.
Sensitization to Product	: No known significant effects or critical hazards.
Synergistic products (toxicologically)	: Not available.

### Toxicity data

<u>Ingredient name</u>	<u>Test</u>	<u>Route</u>	<u>Result</u>	<u>Species</u>
propan-2-ol	LD50	Dermal	12800 mg/kg	Rabbit
	LD50	Oral	6410 mg/kg	Rabbit
	LD50	Oral	5000 mg/kg	Rat
	LD50	Oral	3600 mg/kg	Mouse

**Target organs** : Contains material which causes damage to the following organs: upper respiratory tract, central nervous system (CNS).

## Section 12. Ecological information

### Ecotoxicity

<u>Ingredient name</u>	<u>Species</u>	<u>Period</u>	<u>Result</u>
propan-2-ol	Fish	48 hours	Acute EC50 10000 mg/L
	Fish	96 hours	Acute LC50 10400 mg/L
	Fish	96 hours	Acute LC50 11130 mg/L
	Fish	96 hours	Acute LC50 9640 mg/L
	Fish	96 hours	Acute LC50 6550 mg/L
	Fish	96 hours	Acute LC50 >1400 mg/L

## Section 13. Disposal considerations

**Waste disposal** : The generation of waste should be avoided or minimised wherever possible. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Consult your local or regional authorities.

## Section 14. Transport information

Regulatory information	UN number	Proper shipping name	Class	Packing group	Additional information
TDG Classification	Not regulated.	-	-	-	-

### APPLIES ONLY DURING ROAD TRANSPORT

Any variation of the shipping description based on the packaging is not addressed.

## Section 15. Regulatory information

**WHMIS** : Class B-3: Combustible liquid with a flash point between 37.8°C (100°F) and 93.3°C (200°F).  
Class D-2B: Material causing other toxic effects (Toxic).

This product has been classified in accordance with the hazard criteria of the *Controlled Products Regulations* and the MSDS contains all the information required by the *Controlled Products Regulations*.

## Section 16. Other information

**Date of issue** : 01-August-2007.  
**Responsible name** : Regulatory Affairs  
1-800-352-5326  
**Date of previous issue** : 27-April-2005.

### Notice to reader

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, **NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.**