

## 1. PRODUCT AND COMPANY IDENTIFICATION

**NAME: DISINFECTANT DEODORIZER**

**USE:** DISINFECTANT DEODORIZER

**LABEL BRAND:** IND/COM

**MSDS # 064156 CODE # 064156**

US CHEMICAL, 316 HART STREET, WATERTOWN WI 53094 USA

MEDICAL EMERGENCY #: 1-866-923-4913 USA

SPILL EMERGENCY #: 1-800-424-9300 USA

PRODUCT INFORMATION #: 1-800-558-9566 (8 A.M. TO 5 P.M. CST MONDAY TO FRIDAY)

INTERNET ADDRESS: [WWW.USCHEMICAL.COM](http://WWW.USCHEMICAL.COM)

REVIEWED 12-22-09 REVISED 12-22-09 SECTION REVISED: 1

## 2. HAZARDS IDENTIFICATION

**EMERGENCY OVERVIEW:** CAUTION! FLAMMABLE. CONTENTS UNDER PRESSURE. AEROSOL. TEMPERATURE ABOVE 120°F OR 49°C MAY CAUSE CAN TO BURST. IF FIRE OCCURS, USE EQUIPMENT TO SHIELD OR PROTECT PERSONNEL FROM VENTING OR RUPTURING AEROSOL CANS. MAY BE IRRITATING TO EYES AND SKIN.

**PRINCIPLE ROUTES OF EXPOSURE:** SKIN, EYES, INHALATION

### POTENTIAL ACUTE HEALTH EFFECTS

**EYES:** MAY BE MODERATELY IRRITATING TO EYES.

**SKIN:** MAY BE MILDLY IRRITATING TO SKIN.

**INHALATION:** INHALATION OF MISTS OR VAPORS MAY CAUSE IRRITATION TO NOSE, THROAT, AND MUCOUS MEMBRANES, HEADACHE, DIZZINESS, DROWSINESS AND PULMONARY IRRITATION. SEVERITY DEPENDS ON DEGREE OF EXPOSURE.

**INGESTION:** MAY CAUSE ABDOMINAL DISCOMFORT, NAUSEA, VOMITING AND DIARRHEA. HARMFUL OR FATAL IF SWALLOWED.

**MEDICAL CONDITIONS AGGRAVATED:** PERSONS WITH PRE-EXISTING SKIN DISORDERS MAY BE MORE SUSCEPTABLE TO IRRITATING EFFECTS.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT	CAS #	% BY WT	LC50/LD50
LIQUEFIED PETROLEUM GAS	68476-86-6	25.0 – 35.0	N.AV.
ORTHOPHENYLPHENOL	90-43-7	0.176	N.AV.
PARA-TERTIARY AMYLPHENOL	80-46-6	0.045	N.AV.
ETHYL ALCOHOL	64-17-5	49.95	N.AV.
METHYL ALCOHOL	67-56-1	1.0 -5.0	N.AV.

**STATE RIGHT TO KNOW: EPA EXEMPT**

#### 4. FIRST AID MEASURES

Page 2 of 4

**EYES:** HOLD EYE OPEN AND RINSE SLOWLY AND GENTLY WITH WATER FOR 15 – 20 MINUTES. REMOVE CONTACT LENSES, IF PRESENT, AFTER FIRST FIVE MINUTES, THEN CONTINUE RINSING EYE.

**SKIN:** TAKE OFF CONTAMINATED CLOTHING. RINSE SKIN IMMEDIATELY WITH PLENTY OF WATER FOR 15 – 20 MINUTES.

**INHALATION:** MOVE PERSON TO FRESH AIR. IF PERSON IS NOT BREATHING, CALL 911 OR AN AMBULANCE, THEN GIVE ARTIFICIAL RESPIRATION, PREFERABLY BY MOUTH-TO-MOUTH IF POSSIBLE.

**INGESTION:** CALL A POISON CONTROL CENTER OR DOCTOR IMMEDIATELY FOR TREATMENT ADVICE. HAVE PERSON SIP A GLASS OF WATER IF ABLE TO SWALLOW. DO NOT INDUCE VOMITING UNLESS TOLD TO DO SO BY A POISON CONTROL CENTER OR DOCTOR. DO NOT GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. HAVE THE PRODUCT CONTAINER OR LABEL WITH YOU WHEN CALLING POISON CENTER OR DOCTOR OR GOING FOR TREATMENT.

**ADMINISTER FIRST AID TREATMENT AS STATED ABOVE, THEN CALL 1-866-923-4913 OR CONTACT PHYSICIAN FOR FURTHER MEDICAL INSTRUCTIONS.**

**NOTE TO PHYSICIAN:** CALL 1-866-923-4913 FOR ASSISTANCE WITH THE MANAGEMENT OF EXPOSURES.

#### 5. FIRE-FIGHTING MEASURES

**FLAMMABILITY:** FLAMMABLE AEROSOL AS DESCRIBED BY 40 CFR 156.78.

**FLAMMABILITY LIMITS (PROPELLANT):** SEE SECTION 9.

**FLASH POINT:** PROPELLANT = BELOW 0°F, CONCENTRATE= ABOVE 55°F

**PRODUCTS OF COMBUSTION:** SEE SECTION 10.

**SUITABLE EXTINGUISHING MEDIA:** TO FIGHT FIRE, USE CARBON DIOXIDE, DRY CHEMICAL OR ALCOHOL FOAM.

**SPECIFIC HAZARDS:** CONTENTS ARE UNDER PRESSURE IN AEROSOL CAN. TEMPERATURE ABOVE 130°F OR 54°C MAY CAUSE AEROSOL CAN TO BURST OR RUPTURE.

**SPECIFIC METHODS:** COOL CONTAINERS WITH WATER SPRAY TO PREVENT VAPOR PRESSURE BUILD UP. USE EQUIPMENT OR SHIELDING, AS REQUIRED, TO PROTECT PERSONNEL FROM BURSTING, RUPTURING OR VENTING CONTAINERS.

#### 6. ACCIDENTAL RELEASE MEASURES

**PERSONAL PRECAUTIONS:** SEE SECTION 8. PUT ON APPROPRIATE PPE.

**SPILL RESPONSE:** IF CONTAINERS BEGIN TO LEAK THROUGH PUNCTURED OR DEFECTIVE PACKAGING, ALLOW IT TO DISCHARGE COMPLETELY IN A WELL VENTILATED AREA. WEAR PROTECTIVE EQUIPMENT INCLUDING RUBBER BOOTS. REMOVE SOURCES OF IGNITION. AVOID HEAT, SPARK OR FLAME. KEEP COMBUSTIBLES AWAY! AVOID DIRECT DISCHARGE TO SEWER AND SURFACE WATERS. PUMP TO CONTAINER OR SOAK UP WITH NON-COMBUSTIBLE INERT ABSORBENT MATERIALS. AFTER SPILL COLLECTION, FLUSH AREA WITH WATER AND FOLLOW WITH NORMAL CLEAN-UP PROCEDURES. BE CAREFUL AS SPILLS ARE SLIPPERY.

#### 7. HANDLING AND STORAGE

**HANDLING:** FOLLOW ALL LABEL DIRECTIONS. AVOID HEAT, SPARKS OR OPEN FLAME. INSTRUCT PERSONNEL ABOUT PROPER USE, HAZARDS, PRECAUTIONS, AND FIRST AID MEASURES. AVOID INHALATION, INGESTION AND CONTACT WITH SKIN AND EYES. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING. HANDLE CAREFULLY TO AVOID PUNCTURE.

**STORAGE:** ROTATE STOCK REGULARLY. HANDLE CAREFULLY TO AVOID DAMAGING CONTAINER. KEEP AWAY FROM SPARKS, OR OPEN FLAME. KEEP FROM FREEZING.

STORE IN A COOL DRY AREA OUT OF DIRECT SUNLIGHT. KEEP OUT OF CHILDREN'S REACH. KEEP AWAY FROM FOOD AND DRINKING WATER. STORE AS LEVEL 2 AEROSOL (NFPA 30B).

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

Page 3 of 4

**EXPOSURE LIMITS:** LIQUEFIED PETROLEUM GAS = 1000 PPM TWA (ACGIH/OSHA)  
ETHYL ALCOHOL = 1000 PPM TWA (ACGIH/OSHA)  
METHYL ALCOHOL = 200 PPM TWA-SKIN , 250 PPM STEL (ACGIH), 200 PPM TWA, 260 MG/M3 (OSHA)  
**ENGINEERING CONTROLS:** NOT ORDINARILY NEEDED. SPRAY AWAY FROM YOURSELF TO AVOID INHALATION OF MISTS. IF EXPOSURE EXCEEDS LIMITS FOR PEL/TLV, USE A NIOSH APPROVED RESPIRATOR.

**PERSONAL PROTECTION**

**EYES:** SAFETY GLASSES WITH SIDE SHIELDS. HAVE AN EYE WASH STATION AVAILABLE.  
**HANDS:** N.AP.  
**RESPIRATORY:** NONE REQUIRED WITH NORMAL USE. AVOID INHALATION OF MIST.  
**FEET:** N.AP.  
**BODY:** N.AP.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>COLOR:</b> COLORLESS	<b>FLASH POINT:</b> SEE SECTION 5.
<b>ODOR:</b> LEMON	<b>UEL:</b> 9.5% (FOR PROPELLANT)
<b>pH CONCENTRATE:</b> 9.75	<b>LEL:</b> 1.9% (FOR PROPELLANT)
<b>pH @ 2500 PPM SOLUTION:</b> N.AP.	<b>EVAPORATION RATE:</b> N.AV.
<b>pH @ USE DILUTION:</b> N.AP.	<b>ODOR THRESHOLD:</b> N.AV.
<b>PHYSICAL STATE:</b> LIQUID IN AEROSOL CAN	<b>VAPOR PRESSURE:</b> 125@130°F PSIG
<b>SPECIFIC GRAVITY:</b> LESS THAN 1.0	<b>VAPOR DENSITY:</b> N.AV.
<b>VISCOSITY:</b> NON-VISCOUS	<b>COEFF. OIL/WATER:</b> N.AP.
<b>BOILING POINT:</b> N.AP.	<b>WATER SOLUBILITY:</b>
<b>MELTING POINT:</b> N.AP.	APPRECIABLE
	<b>OTHER:</b> N.AP.

**10. STABILITY AND REACTIVITY**

**STABLE:** YES  
**CONDITIONS TO AVOID:** DO NOT STORE ABOVE 49°C OR 120°F. KEEP AWAY FROM HEAT, DIRECT SUNLIGHT, OPEN FLAMES OR SPARKS. AVOID SPRAYING ON HOT SURFACES. DROPPING MAY CAUSE CONTAINER TO BURST.  
**MATERIALS TO AVOID:** AVOID CONTACT WITH OTHER CLEANING PRODUCTS.  
**DECOMPOSITION PRODUCTS:** FIRE OR MIXING WITH INCOMPATIBLE MATERIALS MAY PRODUCE OXIDES OF CARBON AND OTHER TOXIC OR IRRITATING FUMES.  
**POSSIBILITY OF HAZARDOUS REACTIONS:** N.AP.

**11. TOXICOLOGICAL INFORMATION**

**ACUTE EFFECTS:** SEE SECTION 2.  
**CHRONIC EFFECTS:** NO REPORTABLE MUTAGENS, SENSITIZERS, SYNERGISTIC MATERIALS OR TERATOGENS. WARNING: THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER. POSSIBLE REPRODUCTIVE HAZARD. CAN CAUSE ADVERSE REPRODUCTIVE EFFECTS SUCH AS BIRTH DEFECTS, MISCARRIAGES AND INFERTILITY.  
**LC50/LD50:** N.AV.  
**TARGET ORGANS:** EYES, SKIN, RESPIRATORY SYSTEM  
**OTHER TOXIC EFFECTS:** NONE KNOWN.

**12. ECOLOGICAL INFORMATION**

Page 4 of 4

NOT AVAILABLE.

**13. DISPOSAL CONSIDERATIONS**

**DISPOSAL METHOD:** COMPLY WITH ALL FEDERAL, STATE, PROVINCIAL AND LOCAL REGULATIONS. CONSULT REGULATORY AGENCIES FOR RESTRICTIONS ON DISPOSAL OF CHEMICAL WASTE. DO NOT THROW IN FIRE. DO NOT PUNCTURE OR INCINERATE CONTAINERS. WHEN CONTENTS ARE DEPLETED CONTINUE TO DEPRESS BUTTON UNTIL ALL GAS IS EXPELLED. AEROSOL CYLINDER IS NOT REFILLABLE. GIVE TO A DISPOSAL SERVICE EQUIPPED TO SAFELY DISPOSE OF PRESSURIZED CONTAINERS. PLEASE RECYCLE EMPTY CONTAINER WHENEVER POSSIBLE.

**14. TRANSPORT INFORMATION****DOT/TDG:** CONSUMER COMMODITY, ORM-D**DOT RQ:** N.AP.**IMDG:** UN1950, AEROSOLS, 2.1, LIMITED QUANTITY**15. REGULATORY INFORMATION****EPA CERCLA RQ:** N.AP.**EPA REGISTERED:** YES (706-69-7546)**EPA VOC:** 77.60%**EPA VOC RULE:** PRODUCT COMPLIES WITH THE EPA VOC EMISSIONS STANDARD.**OSHA HAZARDOUS:** YES**PHOSPHORUS CONTENT:** 0.00%**PROPOSITION 65:** WARNING: THIS PRODUCT CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER.**SARA 311/312 HAZARDS:** ACUTE, FIRE, PRESSURE**SARA 313 CHEMICALS:** ORTHOPHENYLPHENOL AND METHYL ALCOHOL**STATE RIGHT TO KNOW:** SEE SECTION 3 FOR STATE RTK CHEMICAL NAMES.**TSCA INVENTORY STATUS:** ALL COMPONENTS ARE LISTED ON THE INVENTORY.**16. OTHER INFORMATION****NFPA RATING:** HEALTH-1/FLAMMABILITY-3/REACTIVITY-0/SPECIAL HAZARD-N.AP.**HMIS RATING:** HEALTH-1/FLAMMABILITY-3/REACTIVITY-0/PERSONAL PROTECTION-SEE 8.0

N.AV. = NOT AVAILABLE    N.AP. = NOT APPLICABLE

PREPARED BY: HEALTH AND SAFETY

**NOTICE TO READER**

THIS DOCUMENT HAS BEEN PREPARED USING DATA FROM SOURCES CONSIDERED TECHNICALLY RELIABLE. IT DOES NOT CONSTITUTE A WARRANTY, EXPRESS OR IMPLIED, AS TO THE ACCURACY OF THE INFORMATION CONTAINED WITHIN. ACTUAL CONDITIONS OF USE AND HANDLING ARE BEYOND SELLER'S CONTROL. USER IS RESPONSIBLE FOR EVALUATING ALL AVAILABLE INFORMATION WHEN USING PRODUCT FOR ANY PARTICULAR USE AND TO COMPLY WITH ALL FEDERAL, STATE, PROVINCIAL AND LOCAL LAWS AND REGULATIONS.

8-XMSDS015312