

MATERIAL SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Finishing Touch
GENERAL USE: For professional drycleaning use only.
PRODUCT DESCRIPTION: Sizing

MANUFACTURER

R. R. Street & Co. Inc.
184 Shuman Boulevard
Naperville, IL 60563
Phone: 800-323-7206

24 HR. EMERGENCY TELEPHONE NUMBERS

Medical Emergency: 800-228-5635
Transportation Emergency: 800-424-9300

2. COMPOSITION / INFORMATION ON INGREDIENTS

<u>Chemical Name</u>	<u>Wt.%</u>	<u>CAS#</u>	<u>EINECS#</u>
Isobutane		75-28-5	
Propane		74-98-6	

The ingredients listed on this section are only the hazardous components of the product.

3. HAZARDS IDENTIFICATION

PRIMARY ROUTE(S) OF ENTRY: Ingestion (possible, but considered unlikely), eye contact, inhalation.

EYE HAZARDS: May cause mild irritation after prolonged and repeated contact with the eyes.

SKIN HAZARDS: None expected.

INGESTION HAZARDS: This is an aerosol product, ingestion is unlikely to occur.

INHALATION HAZARDS: Deliberate inhalation of concentrate vapor or mist may cause headaches.

CHRONIC/CARCINOGENICITY EFFECTS: Not known chronic effects

EPIDEMIOLOGY: None known.

TERATOGENICITY (BIRTH DEFECTS): None known.

REPRODUCTIVE EFFECTS: None known.

NEUROTOXICITY: None known.

MUTAGENICITY (GENETIC EFFECT): None known.

SIGNS AND SYMPTOMS: Acute: Deliberate inhalation of concentrate vapor or mist may cause headaches. Prolonged and repeated contact with the eyes may cause mild irritation.

CONDITIONS AGGRAVATED BY EXPOSURE: None known.

CONDITIONS AGGRAVATED BY OVEREXPOSURE: None known.

4. FIRST AID MEASURES

EYES: Flush from eyes with plenty of water.

INGESTION: Ingestion from an aerosol product is unlikely to occur.

INHALATION: If overcome by vapor move victim to fresh air.

5. FIRE FIGHTING MEASURES

FLASH POINT: Not available °F. Not available °C.

FLASH POINT METHOD: Not available.

LOWER EXPLOSIVE LIMIT: Not available.

UPPER EXPLOSIVE LIMIT: Not available.

Date-Issued: 04/18/2002

Date-Revised: Not Applicable

Revision No: New MSDS

5. FIRE FIGHTING MEASURES (continued)

FIRE AND EXPLOSION HAZARDS: This product is an aerosol product for which Flame Projection is 0 in. Temperatures above 120°F may cause cans to burst.

EXTINGUISHING MEDIA: Use CO₂ (Carbon Dioxide), dry chemical, or water fog.

FIRE FIGHTING INSTRUCTIONS: Water spray may be used to cool cans in the vicinity of fire or excessive heat.

6. ACCIDENTAL RELEASE MEASURES

Provide adequate ventilation to area being treated. Soak up spills with chemically inert, absorbent material.

7. HANDLING AND STORAGE

HANDLING AND STORAGE PRECAUTIONS: Store in a cool, dry place away from heat and open flame.

HANDLING PRECAUTIONS: Avoid getting spray into eyes. Keep out of reach of children.

STORAGE PRECAUTIONS: Keep away from heat, sparks, flame, and other sources of ignition (i.e., pilot lights, electric motors and static electricity). AEROSOL STORAGE LEVEL I (NFPA-30B)

WORK/HYGIENIC PRACTICES: None required.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS: Use with adequate general and local exhaust ventilation.

EYE/FACE PROTECTION: None required.

SKIN PROTECTION: None required.

RESPIRATORY PROTECTION: None required if used in a well-ventilated area.

INGREDIENT(S) - EXPOSURE LIMITS:

ISOBUTANE: ACGIH TLV-TWA, Not Established; OSHA PEL-TWA, Not Established

PROPANE: ACGIH TLV-TWA, 2500 ppm; OSHA PEL-TWA, 1,000 ppm

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Cloudy white, very thin emulsion.

ODOR: Characteristic odor of starch.

CHEMICAL TYPE: Mixture

PHYSICAL STATE: Liquid

MELTING POINT: Not applicable °F Not applicable °C

BOILING POINT: water 212 °F water 100 °C

SPECIFIC GRAVITY: 0.99 - 1.0 concentrate

PERCENT VOC: 5.00

PH FACTOR: 8.6 - 8.9

SOLUBILITY: Soluble in water

EVAPORATION RATE: Faster than butyl acetate

10. STABILITY AND REACTIVITY

STABILITY: Stable

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID (STABILITY): Temperatures above 120 F

INCOMPATIBLE MATERIALS: None

HAZARDOUS DECOMPOSITION PRODUCTS: None expected

CONDITIONS TO AVOID (POLYMERIZATION): Temperatures above 120 F

11. TOXICOLOGICAL INFORMATION

No Data Available...

12. ECOLOGICAL INFORMATION

No Data Available...

13. DISPOSAL CONSIDERATIONS

Dispose empty cans in non-incinerated trash only.

14. TRANSPORT INFORMATION**PROPER SHIPPING NAME:** ORM-D Consumer Commodity**DOT IDENTIFICATION NUMBER:** UN1950**DOT SHIPPING LABEL:** Aerosol Consumer Commodity**15. REGULATORY INFORMATION****U.S. REGULATORY INFORMATION:** All ingredients of this product are listed or are excluded from listing under the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.**SARA HAZARD CLASSES:** Acute Health Hazard**SARA SECTION 313 NOTIFICATION:** This product does not contain any toxic chemicals (above the de minimis level) subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and of 40 CFR 372. This information must be included in all MSDSs that are copied and distributed for this material.**INGREDIENT(S) - STATE REGULATIONS:****ISOBUTANE**

New Jersey - Workplace Hazard;
New Jersey - Environmental Hazard;
New Jersey - Special Hazard;
Pennsylvania - Workplace Hazard;
Massachusetts - Hazardous Substance;
New York City - Hazardous Substance

PROPANE

New Jersey - Workplace Hazard;
New Jersey - Environmental Hazard;
New Jersey - Special Hazard;
Pennsylvania - Workplace Hazard;
Massachusetts - Hazardous Substance;
New York City - Hazardous Substance

(See next page for Section 16.)

16. OTHER INFORMATION

HMIS RATINGS:	
HEALTH:	0
FLAMMABILITY:	1
REACTIVITY:	1
PERSONAL PROTECTION:	NA

