



MATERIAL SAFETY DATA SHEET

PAN HANDLER

Page: 2
2/23/2007

PARISER INDUSTRIES

SPECIAL FIREFIGHTING PROCEDURES

SELF-CONTAINED POSITIVE PRESSURE BREATHING APPARATUS AND PROTECTIVE CLOTHING SHOULD BE WORN. WATER SPRAY MAY BE USED TO CONTROL DUST.

UNUSUAL FIRE AND EXPLOSION HAZARDS

N/A

SECTION V - REACTIVITY DATA

STABILITY: STABLE

CONDITIONS TO AVOID

NONE

INCOMPATIBILITY (MATERIALS TO AVOID)

STRONG OXIDIZERS SUCH AS HYDROGEN PEROXIDE, BROMINE AND CHROMIC ACID.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS

CARBON MONOXIDE, CARBON DIOXIDE, SMOKE, SOOT, HYDROGEN CHLORIDE AND CHLORINE DERIVATIVES.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

SECTION VI - HEALTH HAZARD DATA

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

IF IRRITATION, HEADACHE, NAUSEA OR DROWSINESS OCCURS, REMOVE TO FRESH AIR.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE

FLUSH WITH WATER SEEK MEDICAL ATTENTION

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

SEE ABOVE

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

NEVER GIVE ANYTHING TO AN UNCONSCIOUS PERSON, DO NOT INDUCE VOMITING. GIVE LARGE QUANTITIES OF WATER. IF AVAILABLE GIVE SEVERAL GLASSES OF MILK. SEEK MEDICAL ATTENTION.

HEALTH HAZARDS (ACUTE AND CHRONIC)

SEE ABOVE

CARCINOGENICITY: NTP CARCINOGEN: No IARC MONOGRAPHS: No OSHA REGULATED:
Yes

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE

MAY AGGRAVATE EXISTING SKIN AND/OR EYE CONDITIONS ON CONTACT.

EMERGENCY AND FIRST AID PROCEDURES

INGESTION: IF PATIENT IS CONSCIOUS, GIVE TWO GLASSES OF WATER. DO NOT INDUCE VOMITING. IF SIGNS AND SYMPTOMS OF



MATERIAL SAFETY DATA SHEET

PAN HANDLER

Page: 3
2/23/2007

PARISER INDUSTRIES

TOXICITY APPEAR, CALL A PHYSICIAN. SKIN: WASH WITH SOAP AND WATER. INHALATION: REMOVE TO FRESH AIR. IF BREATHING IS DIFFICULT, ADMINISTER OXYGEN; IF BREATHING HAS STOPPED, ADMINISTER ARTIFICIAL RESPIRATION. OBTAIN MEDICAL ATTENTION. EYES: FLUSH THOROUGHLY WITH WATER.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

CAREFULLY NEUTRALIZE WITH SODIUM CARBONATE (IT WILL FOAM). ABSORB WITH AN INERT INGREDIENT SUCH AS SAND, EARTH, OR VERMICULITE AND DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

WASTE DISPOSAL METHOD

IF MATERIAL CAN NOT BE SALVAGED, A METHOD IS NEUTRALATION FOLLOWED BY DISCHARGE INTO A TREATMENT SYSTEM IN ACCORDANCE WITH ALL LOCAL, STATE, AND FEDERAL REGULATIONS.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

CAUSES EYE IRRITATION. KEEP AWAY FROM HEAT, SPARKS, AND FLAME. AVOID CONTACT WITH EYES. KEEP CONTAINER CLOSED. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING.

OTHER PRECAUTIONS

N/A

SECTION VIII - CONTROL MEASURES

RESPIRATORY PROTECTION

USE SELF-CONTAINED BREATHING APPARATUS IN HIGH VAPOR CONCENTRATIONS.

VENTILATION

GENERAL MECHANICAL VENTILATION OR LOCAL EXHAUST SHOULD BE SUITABLE TO KEEP VAPOR CONCENTRATIONS BELOW TLV. VENTILATION EQUIPMENT SHOULD BE EXPLOSION PROOF.

PROTECTIVE GLOVES

RUBBER OR VINYL GLOVES SHOULD BE WORN WHEN HANDLING THIS MATERIAL.

EYE PROTECTION

EYE GLASSES OR GOGGLES SHOULD BE WORN IN DUSTY AREAS.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT

CHEMICAL APRON

WORK/HYGIENIC PRACTICES

WARM WATER SHOWERING AND HANDWASHING IS SUGGESTED AFTER WORKING IN EXTREMELY DUSTY AREAS. EYEWASH STATIONS ARE RECOMMENDED IN THE WORK AREA. THOROUGHLY WASH WITH SOAP AND WATER BEFORE HANDLING FOOD, SMOKING OR APPLYING MAKEUP. WASH CONTAMINATED CLOTHING AND DRY BEFORE REUSE.



MATERIAL SAFETY DATA SHEET

PAN HANDLER

Page: 4
2/23/2007

PARISER INDUSTRIES

SECTION IX - DISCLAIMER

TO THE BEST OF OUR KNOWLEDGE, THE INFORMATION CONTAINED HEREIN IS ACCURATE, OBTAINED FROM SOURCES BELIEVED BY PARISER INDUSTRIES, INC., TO BE ACCURATE. AS WITH ALL CHEMICALS, KEEP AWAY FROM CHILDREN, ANIMALS, AND FOOD PRODUCTS. FOR INDUSTRIAL USE ONLY, USE AS DIRECTED.

SECTION X - UN CODE

N/A