



**MATERIAL SAFETY DATA SHEET**

PRO TEMP

PARISER INDUSTRIES

TRADE SECRET REGISTRY #

PRODUCT NAME: PRO TEMP  
TRADE SECRET REGISTRY #  
Q/C spec PRO TEMP

UN NUMBER

HMIS CODES: H F R P  
2 00E

=====**SECTION I - MANUFACTURER IDENTIFICATION**=====

MANUFACTURER'S NAME: PARISER INDUSTRIES  
ADDRESS : 91 MICHIGAN AVE  
PATERSON, NJ 07503

EMERGENCY PHONE : 800-424-9300 DATE PRINTED : 3/17/2006  
INFORMATION PHONE : 973-569-9090 NAME OF PREPARER : ENVIRONMENTAL DEPT

=====**SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION**=====

REPORTABLE COMPONENTS	CAS NUMBER	VAPOR PRESSURE mm Hg @ TEMP	WEIGHT PERCENT
NOT ESTABLISHED		N/A N/A	5.00
NOT ESTABLISHED		N/A N/A	2.00
ODORLESS MINERAL SPIRITS	64742-48-9	1 68°F	2.00
OSHA/PEL 300PPM TOTAL			

\*\*\* No toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372 are present. \*\*\*

=====**SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS**=====

Q/C spec 'PG ALLURE NEW	pH 1% SOLUTION
BOILING RANGE: 354°F	SPECIFIC GRAVITY (H2O=1): 1.63
VAPOR DENSITY: N/A	EVAPORATION RATE: N/A
COATING V.O.C.: NOT APPLICABLE	MATERIAL V.O.C.: NOT APPLICABLE
SOLUBILITY IN WATER: SOLUBLE	
APPEARANCE AND ODOR: BLUE POWDER	

=====**SECTION IV - FIRE AND EXPLOSION HAZARD DATA**=====

Q/C spec 'PG ALLURE NEW	FLASH POINT
FLAMMABLE LIMITS IN AIR BY VOLUME- LOWER: 1.3	UPPER: 9.8

EXTINGUISHING MEDIA:  
NOT CONSIDERED FLAMABLE

**SPECIAL FIREFIGHTING PROCEDURES**

WEAR NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS WHEN EITHER IN CONFINED AREAS OR EXPOSED TO COMBUSTION PRODUCTS.  
USE WATER TO COOL FIRE EXPOSED CONTAINERS.

UNUSUAL FIRE AND EXPLOSION HAZARDS



# MATERIAL SAFETY DATA SHEET

PRO-TEMP

Page: 2  
3/17/2006

PARISER INDUSTRIES

TRADE SECRET REGISTRY #

N/A

===== SECTION V - REACTIVITY DATA =====

**STABILITY: STABLE**  
**CONDITIONS TO AVOID**  
EXCESSIVE DUST

**INCOMPATIBILITY (MATERIALS TO AVOID)**  
N/A

**HAZARDOUS DECOMPOSITION OR BYPRODUCTS**  
NONE KNOWN

**HAZARDOUS POLYMERIZATION: MAY OCCUR**

===== SECTION VI - HEALTH HAZARD DATA =====

**INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE**  
REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION, PREFERABLY MOUTH-TO-MOUTH. IF BREATHING IS DIFFICULT, GIVE OXYGEN. CALL A PHYSICIAN.

**SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE**  
DUST MAY CAUSE MILD IRRITATION. DRY PRODUCT CAN CAUSE TISSUE DESTRUCTION AND PERMANENT EYE DAMAGE IF NOT TREATED.

**SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE**  
CAN CAUSE SEVERE SKIN IRRITATION AND CORROSION. CAUSES IRRITATION AND BURNING OF THE EYES. IF INGESTED, CAN CAUSE NAUSEA AND VOMITING. COUGHING AND DIFFICULTY OF BREATHING CAN RESULT IF INHALED.

**INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE**  
IF SWALLOWED, CONSULT A PHYSICIAN

**HEALTH HAZARDS (ACUTE AND CHRONIC)**  
MAY CAUSE SEVERE IRRITATION OF THE EYES, INCLUDING CORNEAL OPACITIES. DUSTS AND MISTS ARE IRRITATING TO THE SKIN, MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT. MAY CAUSE INFLAMMATION OF THE MUCOUS MEMBRANES IN THE RESPIRATORY TRACT AND OF THE SKIN.

**CARCINOGENICITY: NTP CARCINOGEN: No IARC MONOGRAPHS: No OSHA REGULATED:**  
No

**MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE**  
NONE KNOWN

**EMERGENCY AND FIRST AID PROCEDURES**  
IF INHALED, REMOVE TO FRESH AIR. IF BREATHING IS DIFFICULT, GET MEDICAL ATTENTION. REMOVE FROM EYES, SKIN AND CLOTHING.

===== SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE =====



**MATERIAL SAFETY DATA SHEET**

PRO-TEMP

PARISER INDUSTRIES

TRADE SECRET REGISTRY #

**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED**  
IF MATERIAL IS SPILLED, SWEEP UP INTO SUITABLE DISPOSAL DRUM AND FLUSH AREA WITH WATER.

**WASTE DISPOSAL METHOD**

IF MATERIAL CAN NOT BE SALVAGED, A METHOD IS NEUTRALIZATION FOLLOWED BY DISCHARGE INTO A TREATMENT SYSTEM IN ACCORDANCE WITH ALL LOCAL, STATE, AND FEDERAL REGULATIONS.

**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING**

STORE IN CLOSED CONTAINER IN COOL DRY AREA. KEEP AWAY FROM ACIDS.

**OTHER PRECAUTIONS**

THE USE OF A RUBBER OR VINYL APRON IS RECOMMENDED.

=====**SECTION VIII - CONTROL MEASURES**=====

**RESPIRATORY PROTECTION**

LOCAL EXHAUST, VENTILATE AS REQUIRED.

**VENTILATION**

GENERAL MECHANICAL VENTILATION OR LOCAL EXHAUST SHOULD BE SUITABLE TO KEEP VAPOR CONCENTRATIONS BELOW TLV.

**PROTECTIVE GLOVES**

RUBBER OR PLASTIC GLOVES

**EYE PROTECTION**

EYE GLASSES OR GOGGLES SHOULD BE WORN.

**OTHER PROTECTIVE CLOTHING OR EQUIPMENT**

IMPERVIOUS PROTECTIVE CLOTHING AND CHEMICALLY RESISTANT SAFETY SHOES SHOULD BE WORN TO MINIMIZE CONTACT. WASH CONTAMINATED CLOTHING WITH SOAP AND WATER AND DRY BEFORE REUSE. SHOWERS AND EYEWASH FACILITIES SHOULD BE ACCESSIBLE.

**WORK/HYGIENIC PRACTICES**

WARM WATER SHOWERING AND HANDWASHING IS SUGGESTED AFTER WORKING IN EXTREMELY DUSTY AREAS. EYEWASH STATIONS ARE RECOMMENDED IN THE WORK AREA. THOROUGHLY WASH WITH SOAP AND WATER BEFORE HANDLING FOOD, SMOKING OR APPLYING MAKEUP. WASH CONTAMINATED CLOTHING AND DRY BEFORE REUSE.

=====**SECTION IX - DISCLAIMER**=====

TO THE BEST OF OUR KNOWLEDGE, THE INFORMATION CONTAINED HEREIN IS ACCURATE, OBTAINED FROM SOURCES BELIEVED BY PARISER INDUSTRIES, INC., TO BE ACCURATE. AS WITH ALL CHEMICALS, KEEP AWAY FROM CHILDREN, ANIMALS, AND FOOD PRODUCTS. FOR INDUSTRIAL USE ONLY, USE AS DIRECTED.

=====**SECTION X - UN CODE**=====

N/A