



MATERIAL SAFETY DATA SHEET

SOUR RR

PARISER INDUSTRIES

TRADE SECRET REGISTRY #

307554-5091P

PRODUCT NAME: SOUR RR

TRADE SECRET REGISTRY #

HMIS CODES: H F R P

UN NUMBER : 8,6.1,UN2817 PGIII

2 0 1 B

=====
SECTION I - MANUFACTURER IDENTIFICATION
=====

MANUFACTURER'S NAME: PARISER INDUSTRIES

ADDRESS : 91 MICHIGAN AVE
PATERSON, NJ 07503

EMERGENCY PHONE : 800-424-9300

DATE PRINTED : 3/9/2006

INFORMATION PHONE : 973-569-9090

NAME OF PREPARER : ENVIRONMENTAL DEPT

=====
SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION
=====

REPORTABLE COMPONENTS	CAS NUMBER	VAPOR PRESSURE		WEIGHT
		mm Hg @ TEMP		PERCENT
AMMONIUM BIFLUORIDE TLV 2.5mg/m3	1341-49-7	N/A	N/A	16.66
HYDROFLUOSILICIC ACID OSHA PEL 2.5mg/m3	16961-83-4	N/A	N/A	5.83

*** No toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372 are present. ***

=====
SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS
=====

pH 1% SOLUTION : 4.10
BOILING RANGE: 220°F - 239.5°C
VAPOR DENSITY: N/A
COATING V.O.C.: NOT APPLICABLE
SOLUBILITY IN WATER: SOLUBLE
APPEARANCE AND ODOR: WATER WHITE SOLUTION ODORLESS

SPECIFIC GRAVITY (H2O=1): 1.12
EVAPORATION RATE: N/A
MATERIAL V.O.C.: NOT APPLICABLE

=====
SECTION IV - FIRE AND EXPLOSION HAZARD DATA
=====

FLASH POINT : N/A
FLAMMABLE LIMITS IN AIR BY VOLUME- LOWER: n/a
METHOD USED: n/a
UPPER: n/a

EXTINGUISHING MEDIA:
FOR FIRES INVOLVING THIS PRODUCT, WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL MAY BE USED.

SPECIAL FIREFIGHTING PROCEDURES
SELF-CONTAINED POSITIVE PRESSURE BREATHING APPARATUS AND PROTECTIVE CLOTHING SHOULD BE WORN. WATER SPRAY MAY BE USED TO CONTROL DUST.

UNUSUAL FIRE AND EXPLOSION HAZARDS
N/A



MATERIAL SAFETY DATA SHEET

SOUR RR

PARISER INDUSTRIES

TRADE SECRET REGISTRY #

307554-5091P

=====**SECTION V - REACTIVITY DATA**=====

STABILITY: STABLE

CONDITIONS TO AVOID

HEAT, SPARKS AND FLAMES. TEMPERATURES ABOVE 250° C.

INCOMPATIBILITY (MATERIALS TO AVOID)

ATTACKS GLASS

HAZARDOUS DECOMPOSITION OR BYPRODUCTS

HYDROGEN FLUORIDE, AMMONIA

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

=====**SECTION VI - HEALTH HAZARD DATA**=====

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION, PREFERABLY MOUTH-TO-MOUTH. IF BREATHING IS DIFFICULT, GIVE OXYGEN. CALL A PHYSICIAN.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE

FLUSH WITH WATER SEEK MEDICAL ATTENTION

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

CAN CAUSE SEVERE SKIN IRRITATION AND CORROSION. CAUSES IRRITATION AND BURNING OF THE EYES. IF INGESTED, CAN CAUSE NAUSEA AND VOMITING. COUGHING AND DIFFICULTY OF BREATHING CAN RESULT IF INHALED.

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

IF INGESTED, GIVE WATER OR MILK. IF UNCONSCIOUS OR CONVULSING, DO NOT GIVE FLUIDS, KEEP VICTIM WARM. SEEK MEDICAL HELP.

HEALTH HAZARDS (ACUTE AND CHRONIC)

SEE ABOVE

CARCINOGENICITY: NTP CARCINOGEN: No IARC MONOGRAPHS: No OSHA REGULATED:
Yes

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE

NONE KNOWN

EMERGENCY AND FIRST AID PROCEDURES

SEE ABOVE

=====**SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE**=====

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

RESTRICT ACCESS TO THE AREA UNTIL COMPLETION OF CLEANUP. USE ACID SUITS AND ACID-RESISTANT FOOTWEAR. DIKE TO CONTAIN MATERIAL. COLLECT AS MUCH OF THE SPILLED MATERIAL AS POSSIBLE IN ACID-RESISTANT CONTAINERS FOR POSSIBLE REUSE. ABSORB THE REMAINING MATERIAL WITH SAND, VERMICULITE, OR OTHER ABSORBENT MATERIAL, OR NEUTRALIZE WITH SODA ASH, SODIUM



MATERIAL SAFETY DATA SHEET

SOUR RR

PARISER INDUSTRIES

TRADE SECRET REGISTRY #

307554-5091P

BICARBONATE, LIMESTONE, OR LIME, UNTIL ACIDITY IS NEUTRALIZED.

WASTE DISPOSAL METHOD

IF MATERIAL CAN NOT BE SALVAGED, A METHOD IS NEUTRALATION FOLLOWED BY DISCHARGE INTO A TREATMENT SYSTEM IN ACCORDANCE WITH ALL LOCAL, STATE, AND FEDERAL REGULATIONS.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

STORE IN CLOSED CONTAINER IN COOL DRY AREA. KEEP AWAY FROM ACIDS.

OTHER PRECAUTIONS

USE GOOD LABORATORY PRACTICES

===== SECTION VIII - CONTROL MEASURES =====

RESPIRATORY PROTECTION

USE SELF-CONTAINED BREATHING APPARATUS IN HIGH VAPOR CONCENTRATIONS.

VENTILATION

GENERAL MECHANICAL VENTILATION OR LOCAL EXHAUST SHOULD BE SUITABLE TO KEEP VAPOR CONCENTRATIONS BELOW TLV. VENTILATION EQUIPMENT SHOULD BE EXPLOSION PROOF.

PROTECTIVE GLOVES

RUBBER OR VINYL GLOVES SHOULD BE WORN WHEN HANDLING THIS MATERIAL.

EYE PROTECTION

MONOGOGGLES

OTHER PROTECTIVE CLOTHING OR EQUIPMENT

EYE BATH, SAFETY SHOWER

WORK/HYGIENIC PRACTICES

N/A

===== SECTION IX - DISCLAIMER =====

TO THE BEST OF OUR KNOWLEDGE, THE INFORMATION CONTAINED HEREIN IS ACCURATE, OBTAINED FROM SOURCES BELIEVED BY PARISER INDUSTRIES, INC., TO BE ACCURATE. AS WITH ALL CHEMICALS, KEEP AWAY FROM CHILDREN, ANIMALS, AND FOOD PRODUCTS. FOR INDUSTRIAL USE ONLY, USE AS DIRECTED.

===== SECTION X - UN CODE =====

8, 6.1, UN2817, PGIII