



MATERIAL SAFETY DATA SHEET

OVEN-EZE

Page: 1
2/16/2007

PARISER INDUSTRIES

PRODUCT NAME: OVEN-EZE
TRADE SECRET REGISTRY #307554-5068P
UN NUMBER : 8, UN1814, PGII

HMIS CODES: H F R P
2 0 1 B

SECTION I - MANUFACTURER IDENTIFICATION

MANUFACTURER'S NAME: PARISER INDUSTRIES
ADDRESS : 91 MICHIGAN AVE
PATERSON, NJ 07503

EMERGENCY PHONE : 800-424-9300 DATE PRINTED : 2/16/2007
INFORMATION PHONE : 973-569-9090 NAME OF PREPARER : ENVIRONMENTAL DEPT

SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION

REPORTABLE COMPONENTS	CAS NUMBER	VAPOR PRESSURE mm Hg @ TEMP	WEIGHT PERCENT
POTASSIUM HYDROXIDE	1310-58-3	60 1013°C	9.99

*** No toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372 are present. ***

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

pH 1% SOLUTION : .00
BOILING RANGE: 1320°C
VAPOR DENSITY: N/A
COATING V.O.C.: NOT APPLICABLE
SOLUBILITY IN WATER: SOLUBLE
APPEARANCE AND ODOR: CLEAR YELLOW LIQUID/ODORLESS

SPECIFIC GRAVITY (H2O=1): 1.09
EVAPORATION RATE: N/A
MATERIAL V.O.C.: NOT APPLICABLE

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT : METHOD USED: n/a
FLAMMABLE LIMITS IN AIR BY VOLUME- LOWER: n/a UPPER: n/a

EXTINGUISHING MEDIA:
THIS PRODUCT IS NOT COMBUSTIBLE. WATER SPRAY, FOAM, CARBON DIOXIDE OR DRY CHEMICAL MAY BE USED IN AREAS WHERE THIS PRODUCT IS STORED.

SPECIAL FIREFIGHTING PROCEDURES

AVOID DIRECT CONTACT OF THIS PRODUCT WITH WATER SINCE THIS CAN CAUSE A VIOLENT EXOTHERMIC REACTION. PROTECTIVE CLOTHING AND PRESSURE DEMAND, SELF-CONTAINED BREATHING APPARATUS SHOULD BE WORN BY FIRE-FIGHTERS IN AREAS WHERE PRODUCT IS STORED.



MATERIAL SAFETY DATA SHEET

OVEN-EZE

Page: 2
2/16/2007

PARISER INDUSTRIES

UNUSUAL FIRE AND EXPLOSION HAZARDS

N/A

SECTION V - REACTIVITY DATA

STABILITY: STABLE

CONDITIONS TO AVOID

THIS PRODUCT MAY BE ADDED SLOWLY TO WATER OR ACIDS WITH DILUTION AND AGITATION TO AVOID A VIOLENT EXOTHERMIC REACTION. AVOID CONTACT WITH LEATHER, WOOL, ACIDS, ORGANIC HALOGEN COMPOUNDS OR ORGANIC NITRO COMPOUNDS.

INCOMPATIBILITY (MATERIALS TO AVOID)

SEE ABOVE "CONDITIONS TO AVOID"

HAZARDOUS DECOMPOSITION OR BYPRODUCTS

NONE KNOWN

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

SECTION VI - HEALTH HAZARD DATA

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

AIRBORNE CONCENTRATIONS OF DUST, MIST, OR SPRAY OF THIS PRODUCT MAY CAUSE DAMAGE TO THE UPPER RESPIRATORY TRACT AND THE LUNG TISSUE WHICH COULD PRODUCE CHEMICAL PNEUMONIA DEPENDING UPON SEVERITY OF EXPOSURE.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE

SKIN: THIS PRODUCT IS DESTRUCTIVE TO TISSUES CONTACTED AND PRODUCES SEVERE BURNS. A LATENT PERIOD MAY EXIST BETWEEN EXPOSURE AND SENSE OF IRRITATION. EYE CONTACT: THIS PRODUCT IS DESTRUCTIVE TO EYE TISSUES ON CONTACT. WILL CAUSE SEVERE BURNS THAT RESULT IN DAMAGE TO THE EYES AND EVEN BLINDNESS.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

SEE ABOVE

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

CORROSIVE TO MUCOUS MEMBRANES OF THE MOUTH, THROAT, ESOPHAGUS AND STOMACH. MAY CAUSE PERFORATION OF THE ESOPHAGUS OR STOMACH. LARGE AMOUNTS MAY CAUSE NAUSEA, VOMITING, CRAMPS, ABDOMINAL PAIN, DIARRHEA AND SEVERE INFLAMMATION OF THE STOMACH AND INTESTINAL TRACT.

HEALTH HAZARDS (ACUTE AND CHRONIC)

CORROSIVE TO ALL BODY TISSUES WITH WHICH IT COMES IN CONTACT. THE EFFECT OF LOCAL DERMAL EXPOSURE MAY CONSIST OF MULTIPLE AREAS OF SUPERFICIAL DESTRUCTION OF THE SKIN OR OF PRIMARY IRRITANT DERMATITIS. SIMILARY, INHALATION OF DUST, SPRAY, OR MIST MAY RESULT IN VARYING DEGREES OR IRRITATION OR DAMAGE TO THE RESPIRATORY TRACT TISSUES AND AN INCREASED SUSCEPTIBILITY TO RESPIRATORY ILLNESS. THESE EFFECTS ONLY OCCUR WHEN THE TLV IS EXCEEDED. THERE ARE NO CHRONIC EFFECTS.



MATERIAL SAFETY DATA SHEET

OVEN-EZE

Page: 3
2/16/2007

PARISER INDUSTRIES

CARCINOGENICITY: NTP CARCINOGEN: No IARC MONOGRAPHS: No OSHA REGULATED:
Yes

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE

NONE KNOWN

EMERGENCY AND FIRST AID PROCEDURES

EYES: OBJECT IS TO FLUSH MATERIAL OUT IMMEDIATELY THEN SEEK MEDICAL ATTENTION. IMMEDIATELY FLUSH EYES WITH LARGE AMOUNTS OF WATER FOR AT LEAST SEVERAL MINUTES HOLDING LIDS APART TO ENSURE FLUSHING OF THE ENTIRE SURFACE. WASHING EYES WITHIN 1 MINUTE IS ESSENTIAL TO ACHIEVE MAXIMUM EFFECTIVENESS. SEEK MEDICAL ATTENTION IMMEDIATELY. SKIN: WASH WITH PLENTY OF WATER FOR 15 MINUTES. REMOVE CONTAMINATED CLOTHING AND FOOTWEAR. WASH CLOTHING BEFORE REUSE. FOOTWEAR SHOULD BE DECONTAMINATED BEFORE REUSE. SEEK MEDICAL ATTENTION IF SYMPTOMS ARE PRESENT. INHALATION: GET PERSON OUT OF CONTAMINATED AREA TO FRESH AIR. IF RESPIRATION STOPS, GIVE MOUTH-TO-MOUTH RESUSCITATION. SEEK MEDICAL ATTENTION IF SYMPTOMS ARE PRESENT. INGESTION: NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. IF SWALLOWED, DO NOT INDUCE VOMITING. GIVE LARGE QUANTITIES OF WATER. (IF AVAILABLE, GIVE SEVERAL GLASSES OF MILK). IF VOMITING OCCURS SPONTANEOUSLY, KEEP AIRWAY CLEAR. SEEK MEDICAL ATTENTION IMMEDIATELY.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

LEAKS SHOULD BE STOPPED. SPILLS SHOULD BE CONTAINED AND CLEANED UP IMMEDIATELY. SPILLS SHOULD BE REMOVED BY USING A VACUUM TRUCK. NEUTRALIZE REMAINING TRACES OF MATERIAL WITH ANY DILUTE INORGANIC ACID SUCH AS HYDROCHLORIC, SULFURIC, NITRIC, PHOSPHORIC, AND ACETIC ACID. THE SPILL AREA SHOULD THEN BE FLUSHED WITH WATER FOLLOWED BY LIBERAL COVERING OF SODIUM BICARBONATE. ALL CLEAN-UP MATERIAL SHOULD BE REMOVED AND PLACED IN APPROVED CONTAINERS, LABELED AND STORED IN A SAFE PLACE TO AWAIT PROPER TREATMENT OR DISPOSAL. SPILLS ON AREAS OTHER THAN PAVEMENT, I.E., DIRT OR SAND, MAY BE HANDLED BY REMOVING THE AFFECTED SOILS AND PLACING IN APPROVED CONTAINERS. PERSONS PERFORMING CLEAN-UP WORK SHOULD WEAR ADEQUATE PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING. SPILLS OR RELEASES SHOULD BE REPORTED, IF REQUIRED, TO THE APPROPRIATE LOCAL, STATE AND FEDERAL REGULATORY AGENCIES. CAUTION: ANHYDROUS CAUSTIC POTASH MAY REACT VIOLENTLY WITH ACIDS AND WATER.

WASTE DISPOSAL METHOD

IF MATERIAL CANNOT BE SALVAGED, THE PREFERRED METHOD OF DISPOSAL IS IN A SECURE CHEMICAL LANDFILL IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL ENVIRONMENTAL REGULATIONS.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

WHEN HANDLING, WEAR GLOVES, SAFETY GOGGLES AND RESPIRATORY PROTECTION. STORE IN A COOL, DRY, WELL-VENTILATED AREA. AVOID EXCESSIVE STORAGE TEMPERATURES AND DIRECT SUNLIGHT. STORE AWAY FROM ACIDS AND ORGANICS.

OTHER PRECAUTIONS

N/A

SECTION VIII - CONTROL MEASURES

RESPIRATORY PROTECTION

USE SELF-CONTAINED BREATHING APPARATUS IN HIGH VAPOR CONCENTRATIONS.



MATERIAL SAFETY DATA SHEET

OVEN-EZE

Page: 4
2/16/2007

PARISER INDUSTRIES

VENTILATION

GENERAL MECHANICAL VENTILATION OR LOCAL EXHAUST SHOULD BE SUITABLE TO KEEP VAPOR CONCENTRATIONS BELOW TLV. VENTILATION EQUIPMENT SHOULD BE EXPLOSION PROOF.

PROTECTIVE GLOVES

NEOPRENE GLOVES SHOULD BE WORN. GLOVES MAY BE DECONTAMINATED BY WASHING WITH MILD SOAP AND WATER.

EYE PROTECTION

MONOGOGGLES

OTHER PROTECTIVE CLOTHING OR EQUIPMENT

IMPERVIOUS PROTECTIVE CLOTHING AND CHEMICALLY RESISTANT SAFETY SHOES SHOULD BE WORN TO MINIMIZE CONTACT. WASH CONTAMINATED CLOTHING WITH SOAP AND WATER AND DRY BEFORE REUSE. SHOWERS AND EYEWASH FACILITIES SHOULD BE ACCESSIBLE.

WORK/HYGIENIC PRACTICES

WARM WATER SHOWERING, HANDWASHING AND EYEWASH STATIONS ARE RECOMMENDED IN THE WORK AREA. THOROUGHLY WASH WITH SOAP AND WATER BEFORE HANDLING FOOD, SMOKING OR APPLYING MAKEUP. WASH CONTAMINATED CLOTHING AND DRY BEFORE REUSE.

SECTION IX - DISCLAIMER

TO THE BEST OF OUR KNOWLEDGE, THE INFORMATION CONTAINED HEREIN IS ACCURATE, OBTAINED FROM SOURCES BELIEVED BY PARISER INDUSTRIES, INC., TO BE ACCURATE. AS WITH ALL CHEMICALS, KEEP AWAY FROM CHILDREN, ANIMALS, AND FOOD PRODUCTS. FOR INDUSTRIAL USE ONLY, USE AS DIRECTED.

SECTION X - UN CODE

8, UN1814, PGII